


COSMOLINE CABINETS

- Cosmoline cabinets have four side openable, lockable and easily removable covers.
- The rear and side covers are made by DKP sheet and the front side is made by 4 mm thick, impact resistant, tempered and smoked-colored glass which is supported by metal frames.
- The main frame is 1,5 mm, side and rear covers are 1,2 mm steel sheet.
- The frame and corner profiles have nested structure and this structure provides high strength.
- Ventilation is provided by cooling units with 2,4 or 6 fans.
- There are 600x600 , 600x800 , 800x800 , 600x1000 and 800x1000 dimension and 16U , 20U , 26U , 32U , 36U , 39U , 42U and 44U height options.
- There are four 19" mounting profiles and these profiles can move deep within the cabinet.
- Server cabinets are twin perforated front and rear doors for extra ventilation plus space minimizing.
- Mounting profiles have U markings that facilitate the mounting process.
- At the bottom part of the cabinets there is a sliding and dust-protected brushed cable entry. In 600x1000 , 800x800 and 800x1000 cabinets, these entries are available in two locations, from bottom to top.
- It has the option of using wheeled and fixed legs.
Painted by impact-resistant, high strength, electrostatic Ral 9005 texture black color.
- All test procedures have been carried out and has ROSH, CE, EN 61587-1 standards.



COSMOLINE 600x600



19" 600x600mm Cosmoline Cabinet
Width: 600mm Depth: 600mm

Order No	U (1U=44,45 mm)	h Inside Height (mm)	H Outside Height (mm)	Weight (Kg)
FT CSM-16U6060	16	714	942	46
FT CSM-20U6060	20	892	1120	52
FT CSM-26U6060	26	1158	1386	65
FT CSM-32U6060	32	1425	1653	75
FT CSM-36U6060	36	1603	1831	81
FT CSM-39U6060	39	1736	1964	86
FT CSM-42U6060	42	1870	2098	91
FT CSM-44U6060	44	1955	2182	94



COSMOLINE 600 x 800



19" 600x800mm Cosmoline Cabinet
Width: 600mm Depth: 780mm

Order No	U (1U=44,45 mm)	h Inside Height (mm)	H Outside Height (mm)	Weight (Kg)
FT CSM-16U6080	16	714	942	54
FT CSM-20U6080	20	892	1120	62
FT CSM-26U6080	26	1158	1386	72
FT CSM-32U6080	32	1425	1653	83
FT CSM-36U6080	36	1603	1831	89
FT CSM-39U6080	39	1736	1964	94
FT CSM-42U6080	42	1870	2098	100
FT CSM-44U6080	44	1955	2182	104



COSMOLINE 800 x 800



19" 800x800mm Cosmoline Cabinet
Width: 780mm Depth: 780mm

Order No	U (1U=44,45 mm)	h Inside Height (mm)	H Outside Height (mm)	Weight (Kg)
FT CSM-32U8080	32	1425	1653	102
FT CSM-36U8080	36	1603	1831	111
FT CSM-39U8080	39	1736	1964	117
FT CSM-42U8080	42	1870	2098	123
FT CSM-44U8080	44	1955	2182	127



COSMOLINE 600 x 1000



19" 600x1000mm Cosmoline Cabinet
With: 600mm Depth: 1000mm

Order No	U (1U=44,45 mm)	h Inside Height (mm)	H Outside Height (mm)	Weight (Kg)
FT CSM-16U60100	16	714	942	65
FT CSM-20U60100	20	892	1120	72
FT CSM-26U60100	26	1158	1386	82
FT CSM-32U60100	32	1425	1653	95
FT CSM-36U60100	36	1603	1831	103
FT CSM-39U60100	39	1736	1964	108
FT CSM-42U60100	42	1870	2098	114
FT CSM-44U60100	44	1955	2182	118



COSMOLINE 800 x 1000



19" 800x1000mm Cosmoline Cabinet
With: 780mm Depth: 1000mm

Order No	U (1U=44,45 mm)	h Inside Height (mm)	H Outside Height (mm)	Weight (Kg)
FT CSM-32U80100	32	1425	1653	116
FT CSM-36U80100	36	1603	1831	125
FT CSM-39U80100	39	1736	1964	130
FT CSM-42U80100	42	1870	2098	136
FT CSM-44U80100	44	1955	2182	142

